

| 7/29/2015 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|---------------------------|--|---|--|
| Sample1 | 1 | 123 | 2 |
| Sample 2 | 1 | 127 | 2 |
| Sample 3 | 1 | 101 | 1 |
| Water Temp (Celsius) | N/A | N/A | N/A |
| Geometric Mean | 1 | 116.42 | 1.59 |
| Total Lake Geometric mean | 5.695942251 | | |

| 8/4/15 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|---------------------------|--|---|--|
| Sample1 | 1 | 87 | 8 |
| Sample 2 | 1 | 142 | 8 |
| Sample 3 | 1 | 98 | 3 |
| Water Temp (Celsius) | 26 | 22 | 26 |
| Geometric Mean | 1 | 106.5805338 | 5.768998281 |
| Total Lake Geometric mean | 8.503403095 | | |
| Week 1 & 2 Gemotric Mean | 6.959518156 | | |

| 8/12/15 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|---------------------------|--|---|--|
| Sample1 | 162 | 727 | 115 |
| Sample 2 | 160 | 548 | 115 |
| Sample 3 | 179 | 435 | 127 |
| Water Temp (Celsius) | 25 | 20 | 24 |
| Geometric Mean | 166.7871839 | 557.5297872 | 118.8684137 |
| Total Lake Geometric mean | 222.7575365 | | |
| Week 1 - 3 Gemotric Mean | 22.09684403 | | |

| 8/19/15 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|---------------------------|--|---|--|
| Sample1 | 24.6 | 614 | 20.1 |
| Sample 2 | 19.5 | 1050 | 17.3 |
| Sample 3 | 14.6 | 817 | 12 |
| Water Temp (Celsius) | 27.5 | 23 | 27 |
| Geometric Mean | 19.13260879 | 807.5942948 | 16.09932999 |
| Total Lake Geometric mean | 62.89146992 | | |
| Week 1 - 4 Gemotric Mean | 28.70090717 | | |

| 8/26/15 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|-----------------------|--|---|--|
| Sample1 | 4 | 2420 | 16 |
| Sample 2 | 2 | 2420 | 20 |
| Sample 3 | 1 | 2420 | 14 |
| Water Temp (Celsius) | 22 | 18.5 | 21 |

| | | | |
|---------------------------|-------------|------|------------|
| Geometric Mean | 2 | 2420 | 16.4851412 |
| Total Lake Geometric mean | 43.05061345 | | |
| Week 1 - 5 Gemotric Mean | 31.12521557 | | |

| 9/2/15 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|---------------------------|--|---|--|
| Sample1 | 5 | 2420 | 17 |
| Sample 2 | 3 | 2420 | 16 |
| Sample 3 | 8 | 2420 | 21 |
| Water Temp (Celsius) | 28 | 24 | 28 |
| Geometric Mean | 4.932424149 | 2420 | 17.87568664 |
| Total Lake Geometric mean | 59.75572291 | | |
| Week 1 - 6 Gemotric Mean | 34.69952721 | | |

| 9/9/15 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|---------------------------|--|---|--|
| Sample1 | 3 | 2420 | 12 |
| Sample 2 | 2 | 2420 | 11 |
| Sample 3 | 7 | 2420 | 16 |
| Water Temp (Celsius) | 26.6 | 23.3 | 27.2 |
| Geometric Mean | 3.476026645 | 2420 | 12.83013732 |
| Total Lake Geometric mean | 47.61128714 | | |
| Week 1 - 7 Gemotric Mean | 36.30364076 | | |

| 9/11/15 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|---------------------------|--|---|--|
| Sample1 | 2 | 520 | 7 |
| Sample 2 | 1 | 410 | 3 |
| Sample 3 | 2 | 200 | 5 |
| Water Temp (Celsius) | 22 | 18 | 23 |
| Geometric Mean | 3.174802104 | 349.3593724 | 4.71769398 |
| Total Lake Geometric mean | 13.77937786 | | |
| Week 1 - 7 Gemotric Mean | 32.16326357 | | |

| 9/14/15 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|---------------------------|--|---|--|
| Sample1 | 520 | 630 | 750 |
| Sample 2 | 1090 | 630 | 630 |
| Sample 3 | x | x | x |
| Water Temp (Celsius) | 18 | 14 | 18 |
| Geometric Mean | 752.861209 | 630 | 687.3863542 |
| Total Lake Geometric mean | 688.2593588 | | |
| Week 1 - 8 Gemotric Mean | 40.70970516 | | |

| 9/16/15 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|---------------------------|--|---|--|
| Sample1 | 69 | 162 | 30 |
| Sample 2 | 57 | 218 | 29 |
| Sample 3 | x | x | x |
| Water Temp (Celsius) | 19 | 18 | 22 |
| Geometric Mean | 62.71363488 | 187.9255172 | 29.49576241 |
| Total Lake Geometric mean | 70.31302533 | | |
| Week 1 - 8 Gemotric Mean | 42.330233 | | |

| 9/21/15 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|---------------------------|--|---|--|
| Sample1 | 484 | 304 | 324 |
| Sample 2 | 526 | 406 | 593 |
| Sample 3 | x | x | x |
| Water Temp (Celsius) | 20 | 15 | 19 |
| Geometric Mean | 504.5631774 | 351.3175202 | 438.3286438 |
| Total Lake Geometric mean | 426.7154862 | | |
| Week 1 - 9 Gemotric Mean | 49.3798586 | | |

| 9/23/15 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|---------------------------|--|---|--|
| Sample1 | 64 | 196 | 44 |
| Sample 2 | 54 | 100 | 30 |
| Sample 3 | x | x | x |
| Water Temp (Celsius) | 18 | 16 | 20 |
| Geometric Mean | 58.78775383 | 140 | 36.33180425 |
| Total Lake Geometric mean | 66.87040539 | | |
| Week 1 - 9 Gemotric Mean | 50.32457306 | | |

| 9/30/15 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|---------------------------|--|---|--|
| Sample1 | 630 | 2420 | 1000 |
| Sample 2 | 1090 | 2420 | 800 |
| Sample 3 | x | x | x |
| Water Temp (Celsius) | 18 | 17 | 18 |
| Geometric Mean | 828.673639 | 2420 | 894.427191 |
| Total Lake Geometric mean | 1215.014034 | | |
| Week 1 - 10 Gemotric Mean | 60.6905881 | | |

| 10/5/15 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|----------|--|---|--|
| Sample1 | 2420 | 700 | 1800 |
| Sample 2 | 2420 | 1400 | 2420 |
| Sample 3 | x | x | x |

| | | | |
|---------------------------|-------------|-------------|-------------|
| Water Temp (Celsius) | 13 | 11 | 13 |
| Geometric Mean | 2420 | 989.9494937 | 2087.103256 |
| Total Lake Geometric mean | 1709.979011 | | |
| Week 1 - 11 Gemotric Mean | 73.05831437 | | |

| 10/7/15 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|---------------------------|--|---|--|
| Sample1 | 400 | 400 | 500 |
| Sample 2 | 100 | 200 | 400 |
| Sample 3 | x | x | x |
| Water Temp (Celsius) | 18 | 15 | 17 |
| Geometric Mean | 200 | 282.8427125 | 447.2135955 |
| Total Lake Geometric mean | 293.5598535 | | |
| Week 1 - 11 Gemotric Mean | 78.60687716 | | |

| 10/14/15 | Boathouse Sample (North) E coli cfu/100ml | Bridge Sample (South) E coli cfu/100ml | Boat Launch (Middle) E coli cfu/100ml |
|---------------------------|--|---|--|
| Sample1 | 100 | 100 | 10 |
| Sample 2 | 100 | 100 | 10 |
| Sample 3 | x | x | x |
| Water Temp (Celsius) | | | |
| Geometric Mean | 100 | 100 | 10 |
| Total Lake Geometric mean | 46.41588834 | | |
| Week 1 - 12 Gemotric Mean | 71.69750582 | | |